



1	2	3	4	5	6	7	8				
THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)				CUSTOMER DRAWING DRWC-008259		REV.	ECN NO.	DESCRIPTION	MDF'D	APP'D	DATE
						0.91		METAL TAB OPTION	Veera	Jason	08/30/2023
						01		DRAWING NAME REVISED	Veera	Jason	11/28/2023
						02		SHELL PLATING SPEC REVISED	Veera	Jason	01/04/2024



RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE: ±0.05

RoHS COMPLIANT	HALOGEN FREE	Unit: mm(inch)	PROJECTION	JPC connectivity	
		GENERAL TOLERANCES: (UNLESS SPECIFIED)			
		0 = ±1 (0.039)	D.R. 01/04/2024	TITLE	PD./FILE NO.
		0.0 = ±1.5 (0.02)	Veera	Multi-Trak (SFF-TA-1033) Vertical	XXXXXXXXXX
0.00 = ±.3 (0.012)	CH.K 01/04/2024	Combo x16+21A Power Connector	X-XXXX		
0.000 = ±.15(0.006)	Albert	SCALE	SIZE	PART NO.	REV. 01
0° = ± 2°	APV.D 01/04/2024	1:1	A4	P947A16446X2-0	SHEET 2 OF 4
0.0° = ± 1°	Jason				

1	2	3	4	5	6	7	8				
THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)				CUSTOMER DRAWING DRWC-008259		REV.	ECN NO.	DESCRIPTION	MDF'D	APP'D	DATE
						0.91		METAL TAB OPTION	Veera	Jason	08/30/2023
						01		DRAWING NAME REVISED	Veera	Jason	11/28/2023
						02		SHELL PLATING SPEC REVISED	Veera	Jason	01/04/2024



Notes:
 1. This product is packed with 690 pieces per box. Each box contains 3 rolls, and each roll contains 230 pieces.
 2. Cover tape peeling strength :20gf~130gf.AT 300mm/Min

RoHS COMPLIANT	HALOGEN FREE	Unit: mm(inch)	PROJECTION	JPC connectivity	
		GENERAL TOLERANCES: (UNLESS SPECIFIED)	D.R. 01/04/2024		
		0 =±1 (0.039)	Veera	Multi-Trak (SFF-TA-1033) Vertical	
		0.0 =±5 (0.02)	CH.K 01/04/2024	Combo x16+21A Power Connector	
0.00 =±3 (0.012)	Albert	SCALE	SIZE	PART NO.	PD./FILE NO. XXXXXXXXX
0.000 =±15(0.006)	APV.D 01/04/2024	1:1	A4	P947A16446X2-0	X-XXXX
0° =± 2°	Jason				REV. 01
0.0° =± 1°					SHEET 4 OF 4