


1			2		3		4		5		6		7		8		
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JPC connectivity Inc.(JPC)				CUSTOMER DRAWING DRWC-013702			REV.	ECN NO.	DESCRIPTION		MDF'D	APP'D	DATE	
										A3		APPROVAL DRAWING: ADD SHELL AND POST DIMENSIONS		Sam	Ray	09/09/2025	
										A4		APPROVAL DRAWING: ADD CONNECTOR IMPEDANCE REFERENCE		Sam	Ray	10/13/2025	
										A5		APPROVAL DRAWING: MODIFY PART NUMBER CODING RULE		Sam	Ray	11/17/2025	

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JPC connectivity Inc.(JPC)

CUSTOMER DRAWING
DRWC-013702






RoHS COMPLIANT	HALOGEN FREE	Unit:mm(inch) GENERAL TOLERANCES: (UNLESS SPECIFIED) 0 =±1 (0.039) 0.0 =±.5 (0.02) 0.00 =±.3 (0.012) 0.000=±.15(0.006) 0" =± 2" 0.0" =± 1"	PROJECTION  D.R. 02/18/2025 Sam CH.K 02/18/2025 Jason_Liu APV.D 02/18/2025 Ray	JPC connectivity		PD./FILE NO. XXXXXXXXXX	
				TITLE MCIO Gen6 8X 74 Pin Vertical Connector		X-XXXX	
				SCALE NA	SIZE A4	PART NO. P948X07446X2-0	
						REV. A5	SHEET 2 OF 3

1			2	3	4	5	6		7		8	
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JPC connectivity Inc.(JPC)			CUSTOMER DRAWING DRWC-013702	REV.	ECN NO.	DESCRIPTION	MDF'D	APP'D	DATE
							A3		APPROVAL DRAWING: ADD SHELL AND POST DIMENSIONS	Sam	Ray	09/09/2025
							A4		APPROVAL DRAWING: ADD CONNECTOR IMPEDANCE REFERENCE	Sam	Ray	10/13/2025
							A5		APPROVAL DRAWING: MODIFY PART NUMBER CODING RULE	Sam	Ray	11/17/2025

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JPC connectivity Inc.(JPC)

CUSTOMER DRAWING
DRWC-013702



NOTE:

- MATERIAL:
CARRIER TAPE: POLYSTYRENE, BLACK
COVER TAPE: TRANSPARENT POLYSTYRENE
REEL: POLYSTYRENE, BLACK
- COVER TAPE PEELING STRENGTH: 20gf~130gf. AT 300mm/Min
- 200 PCS/REEL; 5 REEL/CARTON; 1000 PCS/CARTON

RoHS COMPLIANT	HALOGEN FREE	Unit:mm(inch)	PROJECTION	JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED)	D.R. 02/18/2025 Sam	TITLE MCIO Gen6 8X 74 Pin Vertical Connector		PD./FILE NO. XXXXXXXXXX	
		0 =±1 (0.039)	CH.K 02/18/2025 Jason_Liu			X-XXXX	
		0.0 =±.5 (0.02)	APV.D 02/18/2025 Ray	SCALE NA	SIZE A4	PART NO. P948X07446X2-0	REV. A5
		0.00 =±.3 (0.012)					SHEET 3 OF 3
		0.000=±.15(0.006)					
		0° =± 2°					
		0.0° =± 1°					